

Historical Species List for Burrill Lake from Birdata

Common Name	Scientific Name	Count	Reporting Rate
Australasian Darter	<i>Anhinga novaehollandiae</i>	2	1.36%
Australasian Figbird	<i>Sphecotheres vieilloti</i>	11	7.48%
Australasian Gannet	<i>Morus serrator</i>	7	4.76%
Australasian Grebe	<i>Tachybaptus novaehollandiae</i>	2	1.36%
Australasian Pipit	<i>Anthus novaeseelandiae</i>	1	0.68%
Australian Gull-billed Tern	<i>Gelochelidon macrotarsa</i>	1	0.68%
Australian King-Parrot	<i>Alisterus scapularis</i>	9	6.12%
Australian Magpie	<i>Gymnorhina tibicen</i>	31	21.09%
Australian Pelican	<i>Pelecanus conspicillatus</i>	71	48.30%
Australian Pied Oystercatcher	<i>Haematopus longirostris</i>	60	40.82%
Australian Raven	<i>Corvus coronoides</i>	16	10.88%
Australian Reed-Warbler	<i>Acrocephalus australis</i>	1	0.68%
Australian White Ibis	<i>Threskiornis moluccus</i>	22	14.97%
Australian Wood Duck	<i>Chenonetta jubata</i>	7	4.76%
Bar-tailed Godwit	<i>Limosa lapponica</i>	24	16.33%
Beach Stone-curlew	<i>Esacus magnirostris</i>	1	0.68%
Black Duck-Mallard hybrid		1	0.68%
Black Swan	<i>Cygnus atratus</i>	11	7.48%
Black-browed Albatross	<i>Thalassarche melanophris</i>	1	0.68%
Black-faced Cuckoo-shrike	<i>Coracina novaehollandiae</i>	14	9.52%
Black-shouldered Kite	<i>Elanus axillaris</i>	4	2.72%
Black-tailed Godwit	<i>Limosa limosa</i>	1	0.68%
Black-winged Stilt	<i>Himantopus leucocephalus</i>	1	0.68%
Brown Gerygone	<i>Gerygone mouki</i>	1	0.68%
Brown Goshawk	<i>Accipiter fasciatus</i>	1	0.68%
Brown Skua	<i>Catharacta antarcticus</i>	1	0.68%
Brown Thornbill	<i>Acanthiza pusilla</i>	13	8.84%
Buff-banded Rail	<i>Hypotaenidia philippensis</i>	7	4.76%
Caspian Tern	<i>Hydroprogne caspia</i>	47	31.97%
Cattle Egret	<i>Bubulcus ibis</i>	2	1.36%
Chestnut Teal	<i>Anas castanea</i>	45	30.61%
Collared Sparrowhawk	<i>Accipiter cirrocephalus</i>	1	0.68%
Common Blackbird	<i>Turdus merula</i>	9	6.12%
Common Myna	<i>Acridotheres tristis</i>	9	6.12%
Common Starling	<i>Sturnus vulgaris</i>	1	0.68%
Common Tern	<i>Sterna hirundo</i>	1	0.68%
Crested Pigeon	<i>Ocyphaps lophotes</i>	23	15.65%
Crested Tern	<i>Thalasseus bergii</i>	73	49.66%
Crimson Rosella	<i>Platycercus elegans</i>	20	13.61%
Curlew Sandpiper	<i>Calidris ferruginea</i>	3	2.04%
Dollarbird	<i>Eurystomus orientalis</i>	6	4.08%
Double-banded Plover	<i>Charadrius bicinctus</i>	21	14.29%
Dusky Moorhen	<i>Gallinula tenebrosa</i>	3	2.04%
Eastern Curlew	<i>Numenius madagascariensis</i>	5	3.40%
Eastern Reef Egret	<i>Egretta sacra</i>	11	7.48%
Eastern Rosella	<i>Platycercus eximius</i>	1	0.68%
Eastern Spinebill	<i>Acanthorhynchus tenuirostris</i>	8	5.44%
Eastern Whipbird	<i>Psophodes olivaceus</i>	14	9.52%
Eastern Yellow Robin	<i>Eopsaltria australis</i>	9	6.12%
Eurasian Coot	<i>Fulica atra</i>	3	2.04%
Fairy Tern	<i>Sternula nereis</i>	1	0.68%
Fan-tailed Cuckoo	<i>Cacomantis flabelliformis</i>	2	1.36%
Freckled Duck	<i>Stictonetta naevosa</i>	3	2.04%
Galah	<i>Eolophus roseicapilla</i>	7	4.76%
Glossy Black-Cockatoo	<i>Calyptorhynchus lathami</i>	1	0.68%
Golden Whistler	<i>Pachycephala pectoralis</i>	1	0.68%
Great Cormorant	<i>Phalacrocorax carbo</i>	45	30.61%

Great Egret	<i>Ardea alba</i>	24	16.33%
Grey Butcherbird	<i>Cracticus torquatus</i>	19	12.93%
Grey Fantail	<i>Rhipidura fuliginosa</i>	9	6.12%
Grey Plover	<i>Pluvialis squatarola</i>	1	0.68%
Grey Shrike-thrush	<i>Colluricincla harmonica</i>	3	2.04%
Grey Teal	<i>Anas gracilis</i>	9	6.12%
Hardhead	<i>Aythya australis</i>	3	2.04%
Hoary-headed Grebe	<i>Poliiocephalus poliocephalus</i>	4	2.72%
Hooded Plover	<i>Thinornis cucullatus</i>	25	17.01%
House Sparrow	<i>Passer domesticus</i>	17	11.56%
Intermediate Egret	<i>Ardea intermedia</i>	4	2.72%
Latham's Snipe	<i>Gallinago hardwickii</i>	3	2.04%
Laughing Kookaburra	<i>Dacelo novaeguineae</i>	14	9.52%
Lewin's Honeyeater	<i>Meliphaga lewinii</i>	6	4.08%
Lewin's Rail	<i>Lewinia pectoralis</i>	1	0.68%
Little Black Cormorant	<i>Phalacrocorax sulcirostris</i>	36	24.49%
Little Corella	<i>Cacatua sanguinea</i>	8	5.44%
Little Egret	<i>Egretta garzetta</i>	23	15.65%
Little Pied Cormorant	<i>Microcarbo melanoleucos</i>	55	37.41%
Little Tern	<i>Sternula albifrons</i>	19	12.93%
Little Wattlebird	<i>Anthochaera chrysoptera</i>	48	32.65%
Long-billed Corella	<i>Cacatua tenuirostris</i>	2	1.36%
Magpie-lark	<i>Grallina cyanoleuca</i>	40	27.21%
Masked Lapwing	<i>Vanellus miles</i>	88	59.86%
Musk Lorikeet	<i>Glossopsitta concinna</i>	2	1.36%
Nankeen Kestrel	<i>Falco cenchroides</i>	1	0.68%
New Holland Honeyeater	<i>Phylidonyris novaehollandiae</i>	13	8.84%
Noisy Friarbird	<i>Philemon corniculatus</i>	3	2.04%
Noisy Miner	<i>Manorina melanocephala</i>	2	1.36%
Olive-backed Oriole	<i>Oriolus sagittatus</i>	3	2.04%
Osprey	<i>Pandion haliaetus</i>	6	4.08%
Pacific Black Duck	<i>Anas superciliosa</i>	10	6.80%
Pacific Golden Plover	<i>Pluvialis fulva</i>	1	0.68%
Pied Cormorant	<i>Phalacrocorax varius</i>	11	7.48%
Pied Currawong	<i>Strepera graculina</i>	16	10.88%
Purple Swamphen	<i>Porphyrio porphyrio</i>	5	3.40%
Rainbow Lorikeet	<i>Trichoglossus moluccanus</i>	44	29.93%
Red Knot	<i>Calidris canutus</i>	2	1.36%
Red Wattlebird	<i>Anthochaera carunculata</i>	27	18.37%
Red-browed Finch	<i>Neochmia temporalis</i>	5	3.40%
Red-capped Plover	<i>Charadrius ruficapillus</i>	39	26.53%
Red-necked Stint	<i>Calidris ruficollis</i>	3	2.04%
Rock Dove	<i>Columba livia</i>	1	0.68%
Royal Spoonbill	<i>Platalea regia</i>	14	9.52%
Rufous Whistler	<i>Pachycephala rufiventris</i>	3	2.04%
Sanderling	<i>Calidris alba</i>	2	1.36%
Satin Bowerbird	<i>Ptilonorhynchus violaceus</i>	15	10.20%
Scarlet Honeyeater	<i>Myzomela sanguinolenta</i>	1	0.68%
Short-tailed Shearwater	<i>Ardenna tenuirostris</i>	2	1.36%
Shy Albatross	<i>Thalassarche cauta</i>	1	0.68%
Shy Albatross spp		1	0.68%
Silver Gull	<i>Chroicocephalus novaehollandiae</i>	99	67.35%
Sooty Oystercatcher	<i>Haematopus fuliginosus</i>	23	15.65%
Sooty Shearwater	<i>Ardenna grisea</i>	1	0.68%
Spotted Dove	<i>Streptopelia chinensis</i>	16	10.88%
Spotted Pardalote	<i>Pardalotus punctatus</i>	3	2.04%
Square-tailed Kite	<i>Lophoictinia isura</i>	1	0.68%
Straw-necked Ibis	<i>Threskiornis spinicollis</i>	3	2.04%
Striated Thornbill	<i>Acanthiza lineata</i>	1	0.68%

Sulphur-crested Cockatoo	<i>Cacatua galerita</i>	11	7.48%
Superb Fairy-wren	<i>Malurus cyaneus</i>	20	13.61%
Swamp Harrier	<i>Circus approximans</i>	1	0.68%
Teal spp		1	0.68%
Variegated Fairy-wren	<i>Malurus lamberti</i>	4	2.72%
Wedge-tailed Eagle	<i>Aquila audax</i>	1	0.68%
Welcome Swallow	<i>Hirundo neoxena</i>	31	21.09%
Whimbrel	<i>Numenius phaeopus</i>	4	2.72%
Whiskered Tern	<i>Chlidonias hybrida</i>	1	0.68%
Whistling Kite	<i>Haliastur sphenurus</i>	1	0.68%
White-bellied Sea-Eagle	<i>Haliaeetus leucogaster</i>	10	6.80%
White-browed Scrubwren	<i>Sericornis frontalis</i>	10	6.80%
White-faced Heron	<i>Egretta novaehollandiae</i>	50	34.01%
White-fronted Tern	<i>Sterna striata</i>	5	3.40%
White-necked Heron	<i>Ardea pacifica</i>	2	1.36%
Willie Wagtail	<i>Rhipidura leucophrys</i>	29	19.73%
Yellow Thornbill	<i>Acanthiza nana</i>	11	7.48%
Yellow-faced Honeyeater	<i>Caligavis chrysops</i>	6	4.08%
Yellow-tailed Black-Cockatoo	<i>Zanda funereus</i>	18	12.24%