

Historical Species List for Lake Wollumboola from Birdata

Common Name	Scientific Name	Count	Reporting Rate
Australasian Darter	<i>Anhinga novaehollandiae</i>	25	1.47%
Australasian Figbird	<i>Sphecotheres vieilloti</i>	82	4.82%
Australasian Gannet	<i>Morus serrator</i>	58	3.41%
Australasian Grebe	<i>Tachybaptus novaehollandiae</i>	12	0.71%
Australasian Pipit	<i>Anthus novaeseelandiae</i>	56	3.29%
Australasian Shoveler	<i>Spatula rhynchotis</i>	44	2.59%
Australian Gull-billed Tern	<i>Gelochelidon macrotarsa</i>	125	7.35%
Australian Hobby	<i>Falco longipennis</i>	109	6.41%
Australian King-Parrot	<i>Alisterus scapularis</i>	39	2.29%
Australian Magpie	<i>Gymnorhina tibicen</i>	277	16.29%
Australian Pelican	<i>Pelecanus conspicillatus</i>	910	53.53%
Australian Pied Oystercatcher	<i>Haematopus longirostris</i>	527	31.00%
Australian Raven	<i>Corvus coronoides</i>	464	27.29%
Australian Reed-Warbler	<i>Acrocephalus australis</i>	1	0.06%
Australian Shelduck	<i>Tadorna tadornoides</i>	8	0.47%
Australian White Ibis	<i>Threskiornis moluccus</i>	180	10.59%
Australian Wood Duck	<i>Chenonetta jubata</i>	8	0.47%
Banded Stilt	<i>Cladorhynchus leucocephalus</i>	1	0.06%
Bar-shouldered Dove	<i>Geopelia humeralis</i>	1	0.06%
Bar-tailed Godwit	<i>Limosa lapponica</i>	678	39.88%
Beautiful Firetail	<i>Stagonopleura bella</i>	1	0.06%
Black Duck-Mallard hybrid		1	0.06%
Black Swan	<i>Cygnus atratus</i>	1160	68.24%
Black-faced Cuckoo-shrike	<i>Coracina novaehollandiae</i>	55	3.24%
Black-fronted Dotterel	<i>Elseornis melanops</i>	37	2.18%
Black-shouldered Kite	<i>Elanus axillaris</i>	103	6.06%
Black-tailed Godwit	<i>Limosa limosa</i>	104	6.12%
Black-winged Stilt	<i>Himantopus leucocephalus</i>	528	31.06%
Blue-billed Duck	<i>Oxyura australis</i>	1	0.06%
Broad-billed Sandpiper	<i>Calidris falcinellus</i>	25	1.47%
Brown Falcon	<i>Falco berigora</i>	4	0.24%
Brown Gerygone	<i>Gerygone mouki</i>	7	0.41%
Brown Goshawk	<i>Accipiter fasciatus</i>	12	0.71%
Brown Quail	<i>Synoicus ypsilophora</i>	7	0.41%
Brown Thornbill	<i>Acanthiza pusilla</i>	123	7.24%
Buff-banded Rail	<i>Hypotaenidia philippensis</i>	6	0.35%
Buff-breasted Sandpiper	<i>Calidris subruficollis</i>	5	0.29%
Caspian Tern	<i>Hydroprogne caspia</i>	652	38.35%
Cattle Egret	<i>Bubulcus ibis</i>	4	0.24%
Channel-billed Cuckoo	<i>Scythrops novaehollandiae</i>	8	0.47%
Chestnut Teal	<i>Anas castanea</i>	820	48.24%
Cicadabird	<i>Edolisoma tenuirostris</i>	1	0.06%
Collared Sparrowhawk	<i>Accipiter cirrocephalus</i>	1	0.06%
Common Blackbird	<i>Turdus merula</i>	11	0.65%
Common Bronzewing	<i>Phaps chalcoptera</i>	1	0.06%
Common Greenshank	<i>Tringa nebularia</i>	54	3.18%
Common Myna	<i>Acridotheres tristis</i>	39	2.29%
Common Sandpiper	<i>Actitis hypoleucos</i>	1	0.06%
Common Starling	<i>Sturnus vulgaris</i>	56	3.29%
Common Tern	<i>Sterna hirundo</i>	56	3.29%
Crested Pigeon	<i>Ocyphaps lophotes</i>	130	7.65%
Crested Tern	<i>Thalasseus bergii</i>	893	52.53%
Crimson Rosella	<i>Platycercus elegans</i>	102	6.00%
Crow & Raven spp		3	0.18%
Curlew Sandpiper	<i>Calidris ferruginea</i>	203	11.94%
Dollarbird	<i>Eurystomus orientalis</i>	20	1.18%
Double-banded Plover	<i>Charadrius bicinctus</i>	227	13.35%

Eastern Curlew	<i>Numenius madagascariensis</i>	169	9.94%
Eastern Koel	<i>Eudynamys orientalis</i>	88	5.18%
Eastern Reef Egret	<i>Egretta sacra</i>	8	0.47%
Eastern Rosella	<i>Platycercus eximius</i>	9	0.53%
Eastern Spinebill	<i>Acanthorhynchus tenuirostris</i>	49	2.88%
Eastern Whipbird	<i>Psophodes olivaceus</i>	251	14.76%
Eastern Yellow Robin	<i>Eopsaltria australis</i>	43	2.53%
Eurasian Coot	<i>Fulica atra</i>	92	5.41%
European Goldfinch	<i>Carduelis carduelis</i>	1	0.06%
Fairy Tern	<i>Sternula nereis</i>	24	1.41%
Fairy/Little Tern spp		4	0.24%
Fairy-wren spp		3	0.18%
Fan-tailed Cuckoo	<i>Cacomantis flabelliformis</i>	6	0.35%
Fluttering Shearwater	<i>Puffinus gavia</i>	1	0.06%
Fork-tailed Swift	<i>Apus pacificus</i>	1	0.06%
Galah	<i>Eolophus roseicapilla</i>	146	8.59%
Gang-gang Cockatoo	<i>Callocephalon fimbriatum</i>	1	0.06%
Glossy Ibis	<i>Plegadis falcinellus</i>	1	0.06%
Golden Whistler	<i>Pachycephala pectoralis</i>	23	1.35%
Golden-headed Cisticola	<i>Cisticola exilis</i>	3	0.18%
Great Cormorant	<i>Phalacrocorax carbo</i>	899	52.88%
Great Crested Grebe	<i>Podiceps cristatus</i>	13	0.76%
Great Egret	<i>Ardea alba</i>	605	35.59%
Great Knot	<i>Calidris tenuirostris</i>	78	4.59%
Greater Sand Plover	<i>Charadrius leschenaultii</i>	20	1.18%
Grey Butcherbird	<i>Cracticus torquatus</i>	111	6.53%
Grey Currawong	<i>Strepera versicolor</i>	1	0.06%
Grey Fantail	<i>Rhipidura fuliginosa</i>	77	4.53%
Grey Goshawk	<i>Accipiter novaehollandiae</i>	20	1.18%
Grey Plover	<i>Pluvialis squatarola</i>	71	4.18%
Grey Shrike-thrush	<i>Colluricincla harmonica</i>	9	0.53%
Grey Teal	<i>Anas gracilis</i>	508	29.88%
Grey-tailed Tattler	<i>Tringa brevipes</i>	8	0.47%
Hardhead	<i>Aythya australis</i>	39	2.29%
Hoary-headed Grebe	<i>Poliiocephalus poliocephalus</i>	111	6.53%
Hooded Plover	<i>Thinornis cucullatus</i>	2	0.12%
Horsfield's Bronze-Cuckoo	<i>Chalcites basalis</i>	2	0.12%
House Sparrow	<i>Passer domesticus</i>	13	0.76%
Hudsonian Godwit	<i>Limosa haemastica</i>	8	0.47%
Intermediate Egret	<i>Ardea intermedia</i>	38	2.24%
Kelp Gull	<i>Larus dominicanus</i>	2	0.12%
Large wader spp		2	0.12%
Latham's Snipe	<i>Gallinago hardwickii</i>	3	0.18%
Laughing Kookaburra	<i>Dacelo novaeguineae</i>	142	8.35%
Lesser Sand Plover	<i>Charadrius mongolus</i>	94	5.53%
Lewin's Honeyeater	<i>Meliphaga lewinii</i>	103	6.06%
Lewin's Rail	<i>Lewinia pectoralis</i>	1	0.06%
Little Black Cormorant	<i>Phalacrocorax sulcirostris</i>	631	37.12%
Little Corella	<i>Cacatua sanguinea</i>	55	3.24%
Little Eagle	<i>Hieraaetus morphnoides</i>	3	0.18%
Little Egret	<i>Egretta garzetta</i>	374	22.00%
Little Friarbird	<i>Philemon citreogularis</i>	1	0.06%
Little Pied Cormorant	<i>Microcarbo melanoleucos</i>	873	51.35%
Little Raven	<i>Corvus mellori</i>	4	0.24%
Little Tern	<i>Sternula albifrons</i>	458	26.94%
Little Wattlebird	<i>Anthochaera chrysoptera</i>	293	17.24%
Magpie-lark	<i>Grallina cyanoleuca</i>	358	21.06%
Marsh Sandpiper	<i>Tringa stagnatilis</i>	16	0.94%
Masked Lapwing	<i>Vanellus miles</i>	840	49.41%

Medium wader spp		7	0.41%
Mistletoebird	Dicaeum hirundinaceum	4	0.24%
Musk Duck	Biziura lobata	122	7.18%
Musk Lorikeet	Glossopsitta concinna	59	3.47%
Nankeen Kestrel	Falco cenchroides	146	8.59%
Nankeen Night-Heron	Nycticorax caledonicus	3	0.18%
New Holland Honeyeater	Phylidonyris novaehollandiae	75	4.41%
Noisy Friarbird	Philemon corniculatus	16	0.94%
Noisy Miner	Manorina melanocephala	36	2.12%
Northern Mallard	Anas platyrhynchos	5	0.29%
Olive-backed Oriole	Oriolus sagittatus	29	1.71%
Osprey	Pandion haliaetus	10	0.59%
Pacific Black Duck	Anas superciliosa	160	9.41%
Pacific Golden Plover	Pluvialis fulva	126	7.41%
Pacific Gull	Larus pacificus	2	0.12%
Paradise Shelduck	Tadorna variegata	2	0.12%
Pectoral Sandpiper	Calidris melanotos	20	1.18%
Peregrine Falcon	Falco peregrinus	21	1.24%
Pied Cormorant	Phalacrocorax varius	178	10.47%
Pied Currawong	Strepera graculina	153	9.00%
Pink-eared Duck	Malacorhynchus membranaceus	7	0.41%
Pomarine Jaeger	Stercorarius pomarinus	1	0.06%
Purple Swamphen	Porphyrio porphyrio	1	0.06%
Rainbow Lorikeet	Trichoglossus moluccanus	313	18.41%
Red Knot	Calidris canutus	217	12.76%
Red Wattlebird	Anthochaera carunculata	227	13.35%
Red-browed Finch	Neochmia temporalis	30	1.76%
Red-capped Plover	Charadrius ruficapillus	821	48.29%
Red-kneed Dotterel	Erythrogonys cinctus	4	0.24%
Red-necked Avocet	Recurvirostra novaehollandiae	34	2.00%
Red-necked Stint	Calidris ruficollis	491	28.88%
Red-whiskered Bulbul	Pycnonotus jocosus	79	4.65%
Rock Dove	Columba livia	11	0.65%
Rose Robin	Petroica rosea	2	0.12%
Royal Spoonbill	Platalea regia	68	4.00%
Ruddy Turnstone	Arenaria interpres	103	6.06%
Rufous Fantail	Rhipidura rufifrons	1	0.06%
Rufous Whistler	Pachycephala rufiventris	2	0.12%
Sacred Kingfisher	Todiramphus sanctus	8	0.47%
Sanderling	Calidris alba	25	1.47%
Satin Bowerbird	Ptilonorhynchus violaceus	58	3.41%
Scaly-breasted Lorikeet	Trichoglossus chlorolepidotus	4	0.24%
Scarlet Honeyeater	Myzomela sanguinolenta	6	0.35%
Sharp-tailed Sandpiper	Calidris acuminata	328	19.29%
Shining Bronze-Cuckoo	Chalcites lucidus	3	0.18%
Short-tailed Shearwater	Ardenna tenuirostris	9	0.53%
Silver Gull	Chroicocephalus novaehollandiae	1002	58.94%
Silvereye	Zosterops lateralis	106	6.24%
Small wader spp		9	0.53%
Sooty Oystercatcher	Haematopus fuliginosus	8	0.47%
Southern Boobook	Ninox boobook	2	0.12%
Southern Emu-wren	Stipiturus malachurus	31	1.82%
Spotless Crake	Zapornia tabuensis	1	0.06%
Spotted Dove	Streptopelia chinensis	96	5.65%
Spotted Pardalote	Pardalotus punctatus	38	2.24%
Square-tailed Kite	Lophoictinia isura	11	0.65%
Straw-necked Ibis	Threskiornis spinicollis	3	0.18%
Striated Heron	Butorides striata	2	0.12%
Striated Pardalote	Pardalotus striatus	1	0.06%

Striated Thornbill	<i>Acanthiza lineata</i>	9	0.53%
Sulphur-crested Cockatoo	<i>Cacatua galerita</i>	48	2.82%
Superb Fairy-wren	<i>Malurus cyaneus</i>	305	17.94%
Swamp Harrier	<i>Circus approximans</i>	104	6.12%
Teal spp		63	3.71%
Terek Sandpiper	<i>Xenus cinereus</i>	1	0.06%
Topknot Pigeon	<i>Lopholaimus antarcticus</i>	8	0.47%
Tree Martin	<i>Petrochelidon nigricans</i>	4	0.24%
Variiegated Fairy-wren	<i>Malurus lamberti</i>	78	4.59%
Wedge-tailed Eagle	<i>Aquila audax</i>	24	1.41%
Wedge-tailed Shearwater	<i>Ardena pacifica</i>	7	0.41%
Welcome Swallow	<i>Hirundo neoxena</i>	107	6.29%
Whimbrel	<i>Numenius phaeopus</i>	9	0.53%
Whiskered Tern	<i>Chlidonias hybrida</i>	31	1.82%
Whistling Kite	<i>Haliastur sphenurus</i>	243	14.29%
White-bellied Sea-Eagle	<i>Haliaeetus leucogaster</i>	448	26.35%
White-browed Scrubwren	<i>Sericornis frontalis</i>	84	4.94%
White-faced Heron	<i>Egretta novaehollandiae</i>	661	38.88%
White-fronted Chat	<i>Epthianura albifrons</i>	112	6.59%
White-fronted Tern	<i>Sterna striata</i>	18	1.06%
White-headed Pigeon	<i>Columba leucomela</i>	4	0.24%
White-necked Heron	<i>Ardea pacifica</i>	8	0.47%
White-rumped Sandpiper	<i>Calidris fuscicollis</i>	45	2.65%
White-throated Needletail	<i>Hirundapus caudacutus</i>	25	1.47%
White-throated Treecreeper	<i>Cormobates leucophaea</i>	5	0.29%
White-winged Black Tern	<i>Chlidonias leucopterus</i>	121	7.12%
Willie Wagtail	<i>Rhipidura leucophrys</i>	212	12.47%
Yellow Thornbill	<i>Acanthiza nana</i>	10	0.59%
Yellow-faced Honeyeater	<i>Caligavis chrysops</i>	46	2.71%
Yellow-tailed Black-Cockatoo	<i>Zanda funereus</i>	153	9.00%